


MODEL No.	DESCRIPTION:
4094	VENOM® Multi-4 Flash-Bang Round
	Revision E 6/26



NOT TO SCALE

PHYSICAL & OPERATIONAL	
Type	Aerial Flash-Bangs
Caliber *	37 MM
Weapon Compatibility	Venom Launching System
Cartridge Length	9.0" (229 mm)
Effective Range**	40 Meters
Waterproof	Sealed tube bore and sealed primer by launcher design during loading.
Terminal Effects	Explosion and Bright Flash
Warranty	5 Years From Shipment Date
<p>All specifications are average and are subject to change without notice.</p> <p>All performance specifications are based on testing conducted in Jamestown, PA USA, At an elevation of 1,058 feet above sea level at ambient temperature conditions.</p>	

WARNING: CSI manufactures a variety of CTS less lethal products which are under pressure, pyrotechnic, incendiary, emit projectiles, generate smoke, or are explosive in nature. When used in accordance with CTS training guidelines and the individual agency's policy, they are intended to cause varying degrees of pain and injury, which are temporary. These products are restricted to law enforcement, corrections, and military personnel and are used to gain compliance, disperse crowds, restore order, or temporarily incapacitate dangerous persons. In rare circumstances, if used incorrectly, CTS less-lethal products may cause damage to property, serious bodily injury or death. Therefore, any person using the force option depicted on this page should receive proper training to ensure the safest and most effective use.

SHIPPING INFORMATION	
Proper Shipping Name	Cartridges for Weapons with Bursting Charge
UN Number	0412
Hazard Class	1.4E
Labels Required	Explosive 1.4E
Quantity Per Package	20 Cartridges
Total Package Weight	48 lb.
Package Type	SS Mesh box with Fiber Board Over Pack UN tested and Approved by D.O.T.
Package Dimensions	12" x 10" x10" Height

*VENOM® Munitions are electronic fired and proprietary to the VENOM® Non Lethal Tube Launch Munitions System.

**Effective range varies depending on the bank the munitions are launched from, the height of the mount, and the position of the individual sub-munitions in the launching tube. Environmental conditions also influence range and accuracy.